

# RE Series Wall Mount Enclosure



## Standard Features Include:

- 40kg static load rating
- EIA-310-E compliant mounting rails
- 180° door angle
- Color: Black (RAL9005) – custom colors available
- Material: Cold-rolled steel
- 2 year standard warranty
- Fully assembled or flat-pack options
- Easy assembly (~5 minutes)
- Tempered glass (vented doors are optional)
- Removable side panels
- Fan kit options (preinstalled)

| Model      | Height (RMU) | Height [H] (mm) | Width [W] (mm) | Depth [D] (mm) |
|------------|--------------|-----------------|----------------|----------------|
| REWM6604B  | 6            | 370             | 600            | 450            |
| REWM6606B  | 6            | 370             | 600            | 600            |
| REWM12604B | 12           | 635             | 600            | 450            |
| REWM12606B | 12           | 635             | 600            | 600            |

# RE Series Cable Management



## Horizontal Plastic Cable Manager

- Single-Sided
- Fully Plastic



## Horizontal Plastic Cable Ring

- Single-Sided
- Plastic and SPCC.

| Part Number | Description                              | Dimensions W x D x H (mm) |
|-------------|--|---------------------------|
| REHCM1US    | Horizontal Cable Manager, 1U             | 483 x 85 x 48             |
| REHCM2US    | Horizontal Cable Manager, 2U             | 483 x 85 x 92             |
| REHCR1US    | Horizontal Cable Ring, 1U                | 483 x 42 x 80             |
| REHCR2US    | Horizontal Cable Ring, 2U                | 483 x 88 x 80             |
| REVCM1U     | Vertical Cable Manager (1U width)        | 45 x 70 x 860             |
| REVCM2U     | Vertical Cable Manager (2U width)        | 88 x 70 x 860             |
| REVCR1U     | Vertical Cable Ring (1U width)           | 45 x 95 x 860             |
| REVCR2U     | Vertical Cable Ring (2U width)           | 88 x 98 x 860             |
| REVCMHD27U  | High-Density Vertical Cable Manager, 27U | 27U (H)                   |
| REVCMHD42U  | High-Density Vertical Cable Manager, 42U | 42U (H)                   |
| REVCMHD48U  | High-Density Vertical Cable Manager, 48U | 48U (H)                   |



## Vertical Plastic Cable Manager

- Tool-less mounting
- SPCC and plastic cable tray
- 2pcs one set.



## Vertical Plastic Cable Ring

- Tool-less mounting
- SPCC and plastic cable rings
- 2pcs one set



## High-Density Vertical Cable Manager

- Designed for 800mm wide Enclosures
- Easy installation and solid front cover
- Plastic cable fingers support high-density cabling applications
- SPCC and plastic cable fingers

# RE Series Airflow Management




## Tool-less Plastic Blanking Panel

- Tool-less installation
- 1U and 2U options



## Tool-less Metal Blanking Panel

- Tool-less Installation
- 1U, 2U, 3U and 4U options



## Vertical Brush Panel

- Installation 800mmW enclosures
- Allows isolated cable entry



## Horizontal Brush Panel

- Horizontal Installation
- Allows isolated cable entry



## Bottom Plate

- Includes 5 pcs cable entry holes.



## Fan Roof

- Fan roof with 6 fans and ventilation
- 4 pcs square cable entry holes



## Fan Tray

- 4 or 6 fans and mesh guard
- Includes 2 meter power cable

| Part Number | Description                                    |
|-------------|--|
| REPBP1U     | Tool-less Plastic Blanking Panel, 1U           |
| REPBP2U     | Tool-less Plastic Blanking Panel, 2U           |
| REMBP1U     | Tool-less Metal Blanking Panel, 1U             |
| REMBP2U     | Tool-less Metal Blanking Panel, 2U             |
| REMBP3U     | Tool-less Metal Blanking Panel, 3U             |
| REMBP4U     | Tool-less Metal Blanking Panel, 4U             |
| REBRUSH     | Horizontal Brush Panel, 1U                     |
| REVRTBRSH42 | Vertical Brush Panel, 42U<br>(for 800mmW Rack) |
| REVRTBRSH48 | Vertical Brush Panel, 48U<br>(for 800mmW Rack) |
| REBP610     | Bottom Plate, 600mm x 1070mm                   |
| REBP612     | Bottom Plate, 600mm x 1170mm                   |
| REBP810     | Bottom Plate, 800mm x 1070mm                   |
| REBP812     | Bottom Plate, 800mm x 1170mm                   |
| REFANRF610  | Fan Roof (6 fans) for 600 x 1000 Rack          |
| REFANRF810  | Fan Roof (6 fans) for 800 x 1000 Rack          |
| REFANT611   | Fan Tray (6 Fans), 1100mmD                     |

# Additional Enclosure Accessories



## Overhead Light Panel

- Mounts on 19" EIA Rails
- 8 Watt power rating



## Telescopic Shelf

- Load Capacity: 70kg
- Adjustable depth from 22" to 40"



## Fixed Shelf

- Load Capacity: 90kg
- 4 Adjustable Mounting Flanges

| Part Number | Description                     |
|-------------|---------------------------------|
| REFSH650    | Fixed Shelf, 650mmD (90kg)      |
| REFSH750    | Fixed Shelf, 750mmD (90kg)      |
| RETSH650    | Telescopic Shelf, 650mmD (70kg) |
| RETSH750    | Telescopic Shelf, 750mmD (70kg) |
| RELIGHT     | Overhead Light Panel            |



**SINGAPORE**

T +65 6825 1684  
E EatonSEA@eaton.com

**MALAYSIA**

T +603 7804 3618  
E EatonSEA@eaton.com

**INDONESIA**

T +62 21 29499 000  
E EatonSEA@eaton.com

**VIETNAM (HANOI)**

T +84 4 393 65 303  
E EatonSEA@eaton.com

**HCMC**

T +84 86255 6737  
E EatonSEA@eaton.com

**KOREA**

T +82 2 6238 7949  
E EatonKoreaES@eaton.com

**PHILIPPINES**

T +63 (2) 812 3045  
E EatonSEA@eaton.com

**THAILAND**

T +66 (0) 2511 5300  
E EatonSEA@eaton.com

© 2017 Eaton Corporation  
All Rights Reserved.  
Publication No. REVCATEA RevA

Follow us on social media to get the latest product and support

